	ENVIRONMENTAL CLEARANCE	To, The Partner PATIL SHAH HOUSING	
	by Interactive, indow Hub)	Subject: Grant of Environmental (under the provision of El Sir/Madam, This is in reference to in respect of project submir SIA/MH/MIS/242469/2021 dated (clearance granted to the project a	CCC VA
PARIVESH	and Responsive Facilitation by Interactive, ous Environmental Single-Window Hub)	 EC Identification No. File No. Project Type Category Project/Activity including Schedule No. Name of Project Name of Company/Organiza Location of Project TOR Date 	EC22B038MH119122 SIA/MH/MIS/242469/2021 Expansion7 B2 8(a) Building and Construction projects "Goda Spandan" Residential Development by M/s. Patil Shah Housing PATIL SHAH HOUSING Maharashtra N/A
PA	(Pro-Active ar and Virtuou	no 2 onwards. Date: 27/03/2022 Note: A valid environmental cle	s and conditions are appended herewith from page (e-signed) Manisha Patankar Mhaiskar Member Secretary SEIAA - (Maharashtra) arance shall be one that has EC identification from PARIVESH.Please quote identification
	PARATEN PARATEN	This is a computer generated co	ndence.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/242469/2021 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

То

M/s. Patil Shah Housing, S. No. 19/2/3/4/1(P) + 19/2/3/4/2 Gangapur shiwar, Nashik

Subject : Environmental Clearance Residential Development Construction Project "Goda Spandan" at S. No. 19/2/3/4/1(P) + 19/2/3/4/2, Gangapur shiwar, Nashik, Maharashtra by M/s. Patil Shah Housing.

Reference : Application no. SIA/MH/MIS/242469/2021

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 132nd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 239th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2.	9.9	Brief	Info	rmation	of the	proje	ct subm	nitted	ov vo	ı is as b	elow:-	
	1 0						The State of a Street of	37.1	J J	a. A. T.C. 1 (2014)		- 2, 2,

1	Proposal Number	Old Proposal No. : SIA/MH/MIS/ 231766/2021 New Proposal No. :SIA/MH/MIS/242469/2021
2	Name of Project	Residential Development Project "Goda Spandan" by M/s. Patil Shah Housing
3	Project category	8a (B2)
4	Type of Institution	Private
5	Project Proponent. Consultant	M/s. Patil Shah Housing Regd. Office Address: PATIL PLAZA, OPP. IMC BANK.CANADA CORNER, NASHIK, Nashik, Maharashtra, 422005 Contact No. Tel No. 0253 2573172 E mail: patilgroup.nashik@gmail.com Enviro Analysts and Engineers Pvt. Ltd. NABET Certificate No: NABET/EIA/2023/RA0206Validity:
7.	Applied for	13/05/2023 Environment Clearance for
,	· · · · · · · · · · · · · · · · · · ·	Expansion
8	Details of previous EC	Environmental Clearance vide. No. SIA/MH/MIS/182867/2020, dated 5th August 2021 for theconstruction area 61,785.16 m ² . (EC granted for A wing,

[]		During Curing During and Club house)				
		B wing, C wing, D wing and Club house.)				
9	Location of the project	S. No. 19/2/3/4/1(P) + 19/2/3/4/2, Gangapur shiwar,				
		Nashik, Maharashtra.				
10	Latitude and Longitude	Latitude: 18°36'59.22"N Longitude:				
		73°42'45.67"E				
11	Total Plot Area (m2)	12350.00 m ²				
12	Deductions (m2)	1,871.33 m ²				
13	Net Plot area (m2)	10,478.67 m ²				
14	Proposed FSI area (m2)	55,648.41 m ²				
15	Proposed non-FSI area (m2)	28,761.01 m ²				
16	Proposed TBUA (m2)	84,409.42 m ²				
17	TBUA (m2) approved by	FSI: 55,648.41				
	Planning Authority till date	Non FSI: 28,761.01 SQ.M.				
	No. and date of approval	Total Construction Area: 84,409.42 SQ.M.				
-	A Areas A AMA Areas	Approval No.: vide no. B1/BP/141/2021, DATED				
		-27-07-2021.				
18	Ground coverage (m ²) & %	6084.04 SQ.M. (49%) Rs. 173.00Cr.				
19	Total Project Cost (Rs.)					
20	CER as per MoEF & CC	CER Shall be implemented as a part of EMP as				
	circular dated 01/05/2018	recommended by SEAC/SEIAA as mentioned in OM				
		F. No. 22-65/2017-IA.III dated September 30, 2020				
21	Details of Building Configuration:	Reason				
	<pre><please following="" legends:<="" pre="" use=""></please></pre>	Modific				
	Floor = F , Parking = Pk ,	ation				
	Podium = Po, Stilt = St, Lower	/ Change				
	Ground = LG, Upper Ground =					
	UG, Basement = B, Shops =					
-63	Sh>					
	Previous EC / Existing	Proposed Configuration Revised				
	Building: NA	Planning asper				
	Buildin Number Heigh	Building Number of Height of I new				
	g of tof	NamefloorsBldg. (m)UDCPR				
	Name floors Bldg.	2 Basement + 114.80 rules				
	(m)	Ground				
	3 Basement 69.85	+2Podium +				
	+ Ground	A Wing 29 Floors +2				
	+Podium + 21 Floors	Recreational				
		floors- Above				
1	A Wing	7th and 22nd				
	3 Basement 69.85	floors.				

						· · · · · · · · · · · · · · · · · · ·		
[+ Ground			2 Basement +	114.80		
		+Podium +			Ground			
		21 Floors			+2Podium +			
	B Wing				29 Floors +2			
		3 69.85		B Wing				
		Basement		U	Recreational			
		+ Ground			floors- Above			
		+Podium			7th and 22nd			
	C Wing	+ 21			floors.			
	0	Floors		an a	2 Basement +	114.80		
	D Wing	Podium +			ana a fair a	114.00		
		1 Floors		집에 싸운 옷이	Ground	Lange and		
[Club	Parking			+2Podium +			
	House	+2 Floors	san S	C Wing	29 Floors +2			
			14000		Recreational			
			ы <u>.</u>		floors- Above			
	A. A.				7th and 22nd			
	a se				floors.			
				181. -	Podium + 3	20.10		
	S.	: 1997년 1997년 - 1997년 - 1997년 1997년 1997년 1997년 199 1997년 1997년 199	. en ster	A FORMAN	Floor (4 Guest			
		이 같은 것을 들었다.		D Wing	rooms			
					(1BHK),			
					Restaurant,			
	<u> </u>				Table Tennis			
					A 11			
					Court, Squash			
					Court+			
			in . F.		Badminton			
		오직			Court)			
				Club	2nd Podium +	6.45		
		[문화] : 말을 가운 ⁴		House	1 Floor			
				110450				
22	Total numb	per of tenements		The second s	ents + 4 Guest re			
		에 있는 이상 38 년다. 역 16년 - 15 영상, 2010		Restaurant	, Table Tennis, S	Squash,		
1 @ 1.		러는 것도 있는 것이지 않는 것이다. 같이 있는 것은 것은 것이 있는 것이다. 같이 있는 것은 것은 것이 있는 것이 같이 있는 것이 같이 있는 것이 같이 않는 것이 같이 않는 것이 같이 않는 것이 같이 않는 것이 없는 것이 없는 것이 않는		Badmintor	n Court and Club	house	a ⁿ ata	
23	Water Bud	get	della, _{es}				n Maria	
	Water Budget Dry Season (CMD)			Wet Season (CMD)				
	Dry Season				((),,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
] ₁	<u></u>	103						
	Fresh Wate							
	Recycled	61				and Composition of States		
	Swimming	Pool 7		an aga na sann		· ";		
	Flushing	51		1990 A 2000 - 1112	BE OM THE STATE			
	Gardening	the second se	-					
		10	<u>.</u>					
	Total				연구한 동안 : 1997년 - 1997년 - 1997년 1997년 - 1997년 -			
		er generation 138	5		TIOR			
	Water Stor	age Capacity for		Details of	UGT:			
24	Firefighting/UGT			Details of UGT: Domestic: 208 m ³				
24	Firefightin	g7UGT		Domestic:	208 m			
24	Firefightin	g/UGT		Flushing v	vater tank: 66 m ³	3		
	Firefightin Source of v	g/UGT		Flushing v	vater tank: 66 m ⁻ ing UGT: 200 m	3		

26 Rainwater Harvesting (RWH) Level of the Ground water t Size and no of RWH tank(Quantity: Size and no of RWH tank(Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any Sewage generation in CM 27 Sewage and Wastewater Sewage generation in CM 27 Sewage and Wastewater Sewage generation in CM 28 Solid Waste Management Solid Waste Management	Monso on:6-7 m Post Monso on:6-7 m s) and NA e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m
Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	m Post Monso on:6-7 m s) and NA e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any 27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	Post Monso on:6-7 m s) and NA e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any 27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	Monso on:6-7 m s) and NA e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any 27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	on:6-7 m s) and NA e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any 27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	m s) and NA e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any 27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	s) and NA e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any 27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
Quantity: Quantity and size of recharg Details of UGT tanks if any Details of UGT tanks if any 27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	e pits: 12 Nos. recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD);	recharge pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	pitsof size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	size 1.5m x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	x1.5m x 3m Details ofUGT: Domesti c:208 m ³ Flushing water
27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	3m Details ofUGT: Domesti c:208 m ³ Flushing water
27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	Details ofUGT: Domesti c:208 m ³ Flushing water
27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	ofUGT: Domesti c:208 m ³ Flushing water
27 Sewage and Wastewater Sewage generation in CM STP technology: Capacity of STP (CMD):	ofUGT: Domesti c:208 m ³ Flushing water
STP technology: Capacity of STP (CMD):	c:208 m ³ Flushing water
STP technology: Capacity of STP (CMD):	Flushing water
STP technology: Capacity of STP (CMD):	water
STP technology: Capacity of STP (CMD):	tank:66
STP technology: Capacity of STP (CMD):	
STP technology: Capacity of STP (CMD):	
STP technology: Capacity of STP (CMD):	Fire
STP technology: Capacity of STP (CMD):	Fighting
STP technology: Capacity of STP (CMD):	UGT:
STP technology: Capacity of STP (CMD):	200 m ³
STP technology: Capacity of STP (CMD):	D: 138
Capacity of STP (CMD):	m^{3}/day
Capacity of STP (CMD):	MBBR
28 Solid Waste Management	1 No
29 Solid Waste Management	160m ³
during Construction Phase Type Quanti	
(kg/d)	disposal
Dry waste: 18	Handed over
Wet waste: 27	Authorized
	vendor
Construction	
Waste	
29 Solid Waste Management	
during Operational Phase Quantit	
(kg/d)	y Treatment /
Dry waste: 272	
	disposal
Wet waste: 379	disposal Handed over to
	disposal Handed over to Authorized Agency
Hazardous NA	disposal Handed over to
waste:	disposal Handed over to Authorized Agency

		Biomedica waste	1 1	NA	-	
		E-Waste	2	2 kg/da		d over to ized Agency
		STP Sludge	(dry)	7 kg/day		s manure
30	Green Belt Development	Total RG ar			I	1047.86
		Existing tree	s on plo	t:	- · ·	11
		Number of th	ees to b	e plante	ed:	147
		Number of tr	00			
		Number of t	rees to b	e transp	planted:	00
31	Power requirement:	Source of po	wer sup	ply:		By MSEDC L
		During Construction Phase (Demand Load):				100-150 kVA
		During Ope load):	5437 kW			
		During Oper load):	3952 kW			
		Transforme	2000 KVA x 2 Nos.			
		DG set				400 kVA x 2
		Fuel used	no. Diesel			
32	Details of Energy saving	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Total			
		 Use of LEI and for gen time contro Use of Tran high efficie Solar light heating and 	eral ligh oller. nsformer ency. s will be	ting wit rs and M e used	th automatic lotors of	iotal saving 19.0 %
33	Environmental	Туре		Detai	ls	Cost in
	Management plan budget during				na dia mandri dia mandri Mandri dia mandri dia ma Mandri dia mandri dia ma	Rs. in
	Construction phase					Lakhs
		Capital cost		Socio	vater Land, Economic, gical Envt.	Rs. 17.15 Lakhs
		O & M cost			ater Noise	2.00 Lakhs
34	Environmental Management plan Budget during Operation phase	Component	Details		Capital (Rs. In lakhs)	O & M (Rs. In lakhs)
	phase	Storm water				
		Sewage treatment	STP 1	No.	32.00	2.25
		Water treatment	NA			

36	Details of Court cases / litigations w.r.t. the project and project location if any.	NA				
		4-Wheeler 2-Wheeler	305 457	그 같은 물감을 잡는 것	37.50. 4.00	
35	Traffic Management	Туре	Required per	Actual Area peras Provided parking DCR		
		Disaster managemen t + Lightinig arrestor		4.01	23.40	
		Environmen tal monitoring		MoEF & CC approved lab	1.76	
		t Energy saving		50.0	1.0	
		Green belt developmen		33.20	2.65	
		pool Solid waste	OWC 1 No.	6.25	2.5	
		RWH Swimming	12 Nos. RWH pits NA	24.00	7.20	

3. Proposal is an expansion of existing construction project. PP has received environment clearance vide letter dated 5th August 2021 for total built up area 61,785.16 Sq.mt. The proposal has been considered by SEIAA in its 239th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit the revised sewer NoC

a forman

- 2. PP to submit the revised indemnity bond stating "indemnify to SEIAA & SEAC for legal consequences arise on account of dispute", if any. The same is required to be corrected & resubmitted.
- 3. PP to ensure that, Refuge area calculations shall be as per NBC norms.
- 4. PP to ensure to provide sufficient number of fire hydrants & sprinklers.

- 5. PP stated that they will provide laminated doors for flats. PP to ensure the quality for the same as per NBC.
- 6. It is noted that, the project will have the potable water through tankers; PP to add this information in his all documents like RERA, Advertisement of the project, agreement etc. Also PP to submit the water tanker agreement. Local body to ensure that, No Occupation Certificate should be issued unless project has sustainable water supply.
- 7. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.
- 8. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for FSI- 55,648.41 m2, Non-FSI-28,761.01m2, Total BUA-84,409.42 m2. (Plan approval-B1/BP/141/2021, DATED - 27-07-2021).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.

- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and
 - night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in

- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar Nihajskar (Member Secretary, StriAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Nashik.
- 6. Commissioner, Nashik Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Nashik.

EC Identification No. - EC22B038MH119122 File No. - SIA/MH/MIS/242469/2021 Date of Issue EC - 27/03/2022 Page 13 of 13